

QL
483
I5
C27

With Complements —
Bhadrak
Cat

Catalogue of Indian Insects

FIELD MUSEUM
OF
NATURAL HISTORY

JUN 14 1967

PART 5—Nitidulidae

BY

S. N. CHATTERJEE,
F.E.S.,

*Lower Grade Assistant, Entomological Branch,
Forest Research Institute, Dehra Dun.*



Issued under the authority of the Government of India.

CALCUTTA : GOVERNMENT OF INDIA
CENTRAL PUBLICATION BRANCH
1924

Price As. 10 or 1s.

The Catalogue of Indian Insects, of which the present instalment forms a part, is an inter-departmental publication, which is edited by a Standing Committee of Entomologists appointed by the Entomological Meetings held in India.

Editorial Committee.

- E. A. Andrews. (Rhynchota)
C. F. C. Beeson. (Coleoptera)
R. Senior-White. (Diptera)
T. Bainbrigge Fletcher. (All other Orders)
-

The following Parts have been issued or are under issue :—

1. Acrydidæ (Tettigidæ), by T. Bainbrigge Fletcher. 1921.
Price As. 11.
2. Culicidæ, by R. Senior-White. 1923. Price Re. 1 As. 10.
3. Bombyliidæ, by R. Senior-White. 1923. Price As. 8.
4. Trypetidæ (Trypaneidæ), by R. Senior-White. 1924. Price
As. 8.
5. Nitidulidæ, by S. N. Chatterjee. 1924. Price As. 10.
6. Staphylinidæ, by M. Cameron. (*In the press.*)

Other Parts are in preparation.

Copies are obtainable from the Imperial Entomologist, Pusa.

Catalogue of Indian Insects

PART 5—Nitidulidae

BY

S. N. CHATTERJEE,
F.E.S.,

*Lower Grade Assistant, Entomological Branch,
Forest Research Institute, Dehra Dun.*



Issued under the authority of the Government of India.

CALCUTTA: GOVERNMENT OF INDIA
CENTRAL PUBLICATION BRANCH
1924

**Government of India Publications are obtainable from the
Government of India Central Publication Branch,
8, Hastings Street, Calcutta, and from the
following Agents :—**

IN EUROPE.

**OFFICE OF THE HIGH COMMISSIONER FOR INDIA,
42, GROSVENOR GARDENS, LONDON, S.W. 1.**

Constable & Co., 10, Orange Street, Leicester Square, London, W.C.
Kegan Paul, Trench, Trübner & Co., 68-74, Carter Lane, E.C., and 39, New Oxford Street, London, W.C.
Bernard Quaritch, 11, Grafton Street, New Bond Street, London, W.
P. S. King & Sons, 2 & 4, Great Smith Street, Westminster, London, S.W.
Grindlay & Co., 54, Parliament Street, London, S.W.
Luzac & Co., 46, Great Russell Street, London, W.C.
W. Thacker & Co., 2, Creed Lane, London, E.C.
T. Fisher Unwin, Ltd., 1, Adelphi Terrace, London, W.C.

Wheldon & Wesley, Ltd., 2, 3 & 4, Arthur Street, New Oxford Street, London, W.C. 2.
East and West Ltd., 3, Victoria Street, London, S.W. 1.
B. H. Blackwell, 50 & 51, Broad Street, Oxford.
Deighton Bell & Co., Ltd., Cambridge.
Oliver and Boyd, Tweeddale Court, Edinburgh.
E. Ponsonby, Ltd., 116, Grafton Street, Dublin.
Ernest Leroux, 28, Rue Bonaparte, Paris.
Martinus Nijhoff, The Hague, Holland.
Otto Harrassowitz, Leipzig.
Friedlander und Sohn, Berlin.

IN INDIA AND CEYLON.

Thacker, Spink & Co., Calcutta and Simla.
W. Newman & Co., Ltd., Calcutta.
K. Cambray & Co., Calcutta.
S. K. Lahiri & Co., Calcutta.
The Indian School Supply Dépôt, 309, Bow Bazar Street, Calcutta, and 226, Nawabpur, Dacca.
Butterworth & Co. (India), Ltd., Calcutta.
Rai M. C. Sarcar Bahadur & Sons, 90-2A, Harrison Road, Calcutta.
The Weldon Library, 26, Chowringhee Road, Calcutta.
Standard Literature Company, Limited, Calcutta.
Association Press, Calcutta.
Chukerverty, Chatterjee & Co., Ltd., 13, College Square, Calcutta.
Higginbotham & Co., Madras.
V. Kalyanarama Iyer & Co., Madras.
P. R. Rama Iyer & Co., Madras.
Rochhouse & Sons, Madras.
Bright & Co., Trivandrum.
V. S. Swaminathan, Bookseller, West Tower Street, Madura.
Thacker & Co., Ltd., Bombay.
D. B. Taraporewala, Sons & Co., Bombay.
Sunder Pandurang, Bombay.
Ram Chandra Govind & Sons, Kalbadevi, Bombay.
N. M. Tripathi & Co., Booksellers, Princess Street, Kalbadevi Road, Bombay.
Proprietor, New Kitabkhana, Poona.
The Manager, Oriental Book Supplying Agency, 15, Shukrawar, Poona City.
R. S. Gandhalekar's Book Dépôt, Publisher and Bookseller, Budhwarr Chawk, Poona City.
Managing Director, Co-operative Bookstall, Booksellers and Publishers, Poona City.

The Standard Bookstall, Karachi, Rawalpindi, Murree, Lahore and Quetta.
Karsandas Narandas & Sons, Surat.
A. H. Wheeler & Co., Allahabad, Calcutta and Bombay.
N. B. Mathur, Supdt., Nazir Kanun Hind Press, Allahabad.
The North India Christian Tract and Book Society, 18, Clive Road, Allahabad.
Ram Dayal Agarwala, 184, Katra, Allahabad.
Manager, Newal Kishore Press, Lucknow.
The Upper India Publishing House Ltd., 41, Aminabad Park, Lucknow.
Munshi Seeta Ram, Managing Proprietor, Indian Army Book Dépôt, Juhli, Cawnpore.
Rai Sahib M. Gulab Singh & Sons, Mufid-i-Am Press, Lahore and Allahabad.
Rama Krishna & Sons, Booksellers, Anarkali, Lahore.
Puri Brothers, Booksellers and Publishers, Katcheri Road, Lahore.
Manager of the Imperial Book Dépôt, 63, Chandney Chauk Street, Delhi.
Oxford Book and Stationery Company, Delhi.
Supdt., American Baptist Mission Press, Rangoon.
Proprietor, Rangoon Times Press, Rangoon.
The Modern Publishing House, Ltd., 30 Phayre Street, Rangoon.
The International Buddhist Book Dépôt, Post Box No. 971, Rangoon.
Manager, the "Hitavada," Nagpur.
S. C. Talukdar, Proprietor, Students and Company, Cooch Behar.
Times of Ceylon Co., Ltd.
The Manager, Ceylon Observer, Colombo.
Manager, The Indian Book Shop, Benares City.
B. C. Basak, Esq., Proprietor, Albert Library, Dacca.

P R E F A C E .

THE Nitidulidae are generally of scavenging habits, but some live in flowers, in stored products, and in bees' nests, while others are predaceous on Scolytids and Coccids. There are in all 228 species up to the present recorded from India.

The family has been split up into six sub-families on the characters given below :—

The table is adapted from Grouvelle's paper in *Annales de la Société Entomologique de France*, Vol. LXXVII, 1908, 325 and 326 ; and from Reitter's *Fauna Germanica*, Vol. III, 11.

1	{ Maxilla with two lobes ; prosternal process absent	Cateritinæ.
	Maxilla with one lobe ; prosternal process almost always present	2
2	{ At least 2 segments of abdomen exposed	Carpophilinæ.
	{ At most pygidium exposed	3
3	{ Tarsi 4-jointed	Cybocephalinæ.
	{ Tarsi 5-jointed	4
4	{ Labrum clearly distinct from epistome	5
	{ Labrum soldered with epistome	Cryptarchinæ.
5	Middle and posterior tibiæ with single outer margin, dorsally without carina ; all tibiæ wide, their outer angles rounded off, or obliquely truncate ; the fore tibiæ notched or toothed	Meligethinæ.
	Middle and posterior tibiæ with double outer margin, the upper one directed dorsally ; all tibiæ truncate at end or with outer angle drawn into a tooth	Nitidulinæ.

To avoid repetition the following abbreviations are used in quoting references to literature :—

- A. J. Annulosa Javanica, *London*, 1825.
- A. M. G. Annali del Museo Civico di Storia Naturale di Genova, *Genoa*.
- A. M. N. H. Annales and Magazine of Natural History, *London*.
- A. N. Archiv für Naturgeschichte, *Berlin*.

- A. S. E. B. . Annals de la Société Entomologique de Belgique,
Bruxelles.
- A. S. E. F. . Annales de la Société Entomologique de France,
Paris.
- A. S. L. L. . Annales de la Société Linnéene de Lyon, *Lyon.*
- B. C. A. . Biologia Centrali-Americana, Coleoptera, Vol. II,
Part I, D. Sharp, *London*, 1890.
- B. E. R. . Bulletin of Entomological Research, *London.*
- B. M. . Bulletin de la Société Impériale des Naturalistes de
Moscou, *Moscow.*
- B. S. E. F. . Bulletin de la Société Entomologique de France,
Paris.
- C. C. . Catalogus Coleopterorum, Gemminger and Harold,
Tom. III, *Munich*, 1868.
- C. N. A. . Classification of the Coleoptera of North America,
John L. Leconte, *Washington*, 1861.
- C. R. I. . Coléoptères de la Région Indienne, A. Grouvelle
in Annales de la Société Entomologique
de France, Vol. LXXVII, 1908, 315-495,
Paris.
- D. A. A. . Delectus Animalium Articulatorum, *Munich*, 1830-
34.
- D. E. Z. . Deutsche Entomologische Zeitschrift, *Berlin.*
- E. . Études entomologiques ou descriptions des insects
Nouveaux et observations sur leur Synonymie
(Carnassiers), *Laporte*, *Paris*, 1834-35.
- E. B. . Entomologische Blätter, *Berlin.*
- E. B. E. . The Elements of British Entomology, Shuckard,
London, 1839.
- E. E. . Études Entomologiques, Victor Motschulsky, *Helsingfors*, Vol. I-X, 1853-62.
- E. M. M. . Entomologists' Monthly Magazine, *London.*
- E. S. . Entomologia Systematica, J. H. Fabricius, *Hafnia*,
1792.
- F. G. K. . Fauna Germanica, Käfer III, E. Reitter, *Stuttgart*,
1911.
- F. H. . Fauna Coleopterorum Helvetica, O. Heer, *Turici*,
1841.
- G. C. . Genera des Coléoptères, Lacordaire, Vol. II, *Paris*,
[1854 (1855)].
- G.Z. . Germar Zeitschrift [Zeitschrift für die Entomologie], Vols. IV-V. *Leipzig*, 1843-44.

- I. B. E. . . Illustrations of British Entomology, J. F. Stephens,
London, 4 Vols., 1828-35.
- I. F. I. . . Indian Forest Insects, E. P. Stebbing, *London*, 1914.
- I. M. . . Insecta Maderensia, T. V. Wollaston, *London*, 1854.
- J. E. E. . . Journal of Economic Entomology, *Concord*, N. H.
- K.M. . . Die Käfer von Mitteleuropa Ganglbauer, Vol. III,
 ii, Clavicornia, *Vienna*, 1899.
- M. B. C. S. . Monthly Bulletin, California State Commission
 Horticulture, *Sacramento*.
- M. N. . . Monograph of the family Nitidulariæ, A. Murray,
 in Transactions of the Linnean Society, London,
 Vol. XXIV, 211-414, *London*, 1864.
- N. L. M. . . Notes from the Leyden Museum, *Leyden*.
- N. J. . . Die Nitiduliden Japans, E. Reitter in Wiener
 Entomologische Zeitung, III & IV, *Vienna*, 1884
 & 1885.
- N. R. . . Répertoire des Coléoptères d'Europe décrits isolé-
 ment depuis 1864, Marseul, L'Abeille, *Paris*,
 Vols. IX, XXII and XXIII.
- P. L. W. . . Proceedings of the Linnean Society of New South
 Wales.
- R. I. M. . . Records of the Indian Museum, *Calcutta*.
- R. N. . . Reise der österreichischen Fregatte Novara um
 die Erde, Zoologischer Theil, band II, Coleoptera,
 Redtenbacher, *Vienna*, 1867.
- R. P. E. M. . Report of the Proceedings of the 4th Entomological
 Meeting, Pusa, *Calcutta*, 1921.
- S. C. . . Skandinaviens Coleoptera Synoptiski bearbetade,
 1862.
- S. E. . . Systema Eleutherorum, etc., J. C. Fabricius,
 2 Vols., *Kiliae*, 1801.
- S. N. . . Systema Naturæ, C. Linnaeus, 2 Vols., *Holmiae*,
 1758-59.
- S. E. N. . . Syst. Eintheil. Nitidulidæ, Reitter, in Verhand-
 lungen des Naturforschenden Vereins Zu Brünn,
 XII, 1873.
- T. E. S. L. . . Transactions of the Entomological Society, *London*.
- V. N. V. B. . . Verhandlungen des Naturforschenden Vereins Zu
 Brünn.
- W. E. Z. . . Wiener Entomologische Zeitng, *Vienna*.
- Z. A. E. . . Zeitschrift für Angewandte Entomologie, *Berlin*.
- Z. M. . . Zoologisches Magazin, *Kiel*.

Keys to genera will be found in references quoted under each subfamily and the species under each genus.

Habits and bionomics of the species occurring in India are given under biology under each species and under genera when they are represented by Indian species.

S. N. CHATTERJEE.

DERA DUN,

The 11th September 1924.

Catalogue of Indian Insects.

PART 5.

NITIDULIDÆ.

Nitidulariæ propriae Latreille (1807), Gen.

Crust. Ins. II, 10-19 (pars.).

Nitidulariæ Murray (1864), M. N. 211-414.

Nitidulidæ Ganglb. (1899), K. M. 411 & 442-

565 [key to tribes]—Grouv. (1908),

C. R. I. 329-397 [key to tribes]—

Reitter (1911), F. G. K. 10-41 [key to tribes].

BIOLOGY : Erichson (1845), Naturg. Ins. Deutschl. III, 124—Rupertsberger (1880), Biol. Käf. Eur. 127-130—Thomson (1862), S. C. IV. 137—Rey [1886 (87)], Essai d'études sur certaines larves de Col. Ann. Soc. Linn. Lyon, XXXIII, 173-174 ; sep. ed. André, Beaune 43 & 44—Ganglb. (1899), K. M. 445—Reitter (1911), F. G. K. 10—Peyerimhoff (1921), B. S. E. F., 284—Verhoeff (1923), A. N. 2-109, pl. I-III & VII.

CATALOGUES : Schönherr (1808), Synon. Ins. I, 2, 135-150—Gemminger & Harold (1868), C. C. III, 802-838—Grouv. (1913), Col. Cat. Junk. Pars. 56.

I. CATERETINÆ.

Cateretes Erichson (1843), G. Z. IV, 226-227.

Brachyptérides Lacord. [1854 (1855)], G. C. 290 & 291 [key to tribes and genera].

Brachypteroidea Murr. (1864), M. N. 230-231

[key to tribes and genera].

Cateretini Ganglb. (1899), K. M. 447 & 448

[key to genera]—Grouv. (1908), C. R. I.

325—Reitter (1911), F. G. K. 11-12

[key to genera].

BIOLOGY: Verhoeff (1923), A. N. I. 8-11,
18-22, 66-72.

Heterhelus Jacq. du Val.

Jacq. du Val. (1858), (Subg. *Cercus*) Gen.

Col. d'Eur. II 137—Murr. (1864),

(Subg. *Cercus*) M. N. 23 & 239—

Ganglb. (1899), K. M. 448 & 451.

Amartus Reitt. (1875), Eur. Nitid. 2 (pars).

Cateretes Heer (1841), F. H. I, 410 (pars).

kraatzi Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
108¹.

II. MELIGETHINÆ.

Meligithina Thoms. (1859), S. C. I, 67—

(1862), IV, 151—(1867), IX, 368.

Meligethini Seidl. (1872), Fn. Balt. ed. I, 49—

Reitt (1911), F. G. K. 11 & 15 [key
to genera].

2. Pria Steph.

Steph. (1830), I. B. E. III. 30-49—Lacord.

[1854 (1855)], G. C. 301 & 312—

Ganglb. (1899), K. M. 464 & 535—

Grouv. (1908), C. R. I. 340 & 367

[key to species].

Cormyphora Cast. (1840), Hist. Nat. Col.

II, 12.

Laria Scop. (1763), Entom. Carn. 21 (pars).

apicalis Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
582¹—(1908), C. R. I. 367.

ceylonica Grouv. (1902), A. S. E. F. LXXI, Ceylon¹
481¹—(1908), C. R. I. 367.

- diluticollis** Grouv. (1913), R. I. M. VII, 2, North-East Assam¹
102¹.
- indica** Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
581¹—(1908), C. R. I. 366 & 367². Pegu²
Sumatra²
- latipes** Grouv. (1908), C. R. I. 366 & 367¹, Nilgiris¹
t. 6. f. 7.
- mirmidon** Grouv. (1913), R. I. M. VIII, 2, Dibrugarh¹
101.¹
- pallida** F. (*Nitidula*) (1801), S. E. I., Ceylon¹
349—Ol. (*Nitidula*) (1811), Encycl.
méth. VIII, 216—Motsch. (1858),
E. E. VII, 131—Reitt. (1873),
S. E. N. 59 [note]—Grouv. (1908),
C. R. I. 365¹ & 367 [footnote].
- plagiata** Grouv. A. S. E. B., XXXIII, 582¹. Kurseong¹
—(1908), C. R. I. 367.

3. *Meligethes* Steph.

- Steph. (1830), I. B. E. III, 30 & 45 (pars)—
Lacord. [1854 (1855)], G.C. 301 & 313
—Ganglb. (1899), K. M. 464, 492 &
535 [key to species]—Grouv. (1908),
C. R. I. 340 & 367-377 [key to species].
Subgen. *Acanthogethes* Reitt. (1911), F. G. K.
16—Ganglb. (1899), K. M. 494.
Subgen. *Odontogethes* Reitt. (1911), F. G. K.
16—Ganglb. (1899), K. M. 494.
BIOLOGY.—Omerod (1874), E. M. M. 46-52—
Perris [1875 (1876)], A. S. L. L. 298,
sep. ed. Deyrolle (1867), 40—Kras-
silstchik (1915), Report of Bio-Entom.
Station Bessarabia, 1914, Kishinev,
49 [control]—Lind, Rostrup & Kølpin
Ravn (1915), Oversigt over Land-
brugsplanternes Sygdomme i 1914,
Beretning fra Statens Forsøgsvirks-
somhed i Plantekultur 31, København
[control]—Kemner (1918), Rapsbaggen
Central—anstalten för Jordbruksför-
sök, 1917, Flygblad, 64, Entom.

Avdelningen, 17, 4, fig. 3 [control]—
 Hukkinen (1919). Om Rapsbaggen
 Och dess Avvarjande, Meddelanden
 till Landtmän No. 58 fran Agrikulture
 ekonomiska Försöksanstalten Fin-
 land, Entom. avdeln. 8 figs. 1-6 [bio-
 nomics and control]—Voss (1919),
Rapsglanzkäfer und Rapsverborgen-
rüssler, Schaffnits Flugblattsamm-
lung über Pflanzenschutz, Bonn-
Poppelsdorf, Flugblatt 14, April 1919
 [control]—Heikertinger (1920), Unters-
 suchungen über die standpflanzen
 der Blütenkäfergattungen, E. B.
 XVI, 4-9, 126-143 [bionomics]—Frie-
 derichs (1920), Untersuchungen über
Rapsglanzkäfer in Mecklenburg, Z. A.
E. VII, 1, 1-36, figs. 1-13, plates 1-2
 [bionomics & control]—Burkhardt
 & Lengerken (1920), Z. A. E. VI, 270-
 295, figs. 1-32 [egg, larva, pupa].
 Verhoeff (1923), A. N. 10, 63-64, 68-70,
 pl. III, figs. 31, 32, 36, 41 & 42.

andrewesi Grouv. (1908), C. R. I., 370 ¹ & 377	Nilgiris ¹
arrowi Grouv. l. c. 373 ¹ & 375 (<i>Acantho-</i> <i>gethes</i>).	Nilgiris ¹
binotatus Grouv. (1894) A. S. E. B. XXXVIII, 460 ¹ —(1908) C. R. I. 375 ² .	Chacuba ¹ Pegu ²
bræti Grouv. l. c. 583 ¹ —l. c. 375.	Kurseong ¹
cardoni Grouv. l. c. 584 ¹ —l. c. 376.	Barway ¹
castanescens Grouv. (1903), A. S. E. F. LXII, 114 ¹ —(1908), C. R. I. 376 (<i>Odontogethes</i>).	Darjiling ¹
crassus Grouv. (1908), C. R. I. 369 ¹ & 377.	Nilgiris ¹
cribosus Grouv. l. c. 368 ¹ & 375.	Bombay ¹ Nilgiris ¹
curvipes Grouv. l. c. 373 ¹ & 374 (<i>Acan-</i> <i>thogethes</i>).	Madura ¹ Nilgiris ¹
ferrugineus Reitt. [1872 (1873)], V. N. V. B. 51, sep. 3.—Grouv. (1908) C. R. I. 376 ¹ .	Sikkim ¹

- foedus** Grouv. (1908), C. R. I. 370¹ & 377. Nilgiris¹
luminosus Reitt. (1873), S. E. N. 72—Grouv. Ceylon¹
l. c. 376.¹
luteolus Reitt. *l. c.* 75—Grouv. *l. c.* 377.¹ Ceylon¹
melleus Grouv. *l. c.* 371¹ & 376. Pegu¹
mixtus Grouv. *l. c.* 368¹ & 375. Nilgiris¹
?politus Motsch. (1863), B. M. XXXVI, II Ceylon¹
442—Reitt. (1873), S. E. N. 71.¹
rubricollis Grouv. (1908), A. S. E. F. LXXII, Nilgiris¹
125¹—(1908), C. R. I. 375.
rufithorax Grouv. (1894), A. S. E. B. Belgaum¹
XXXVIII, 460¹—(1908), C. R. I. 376.
waterhousei Grouv. (1908), C. R. I. 372¹ & Nilgiris¹
375.

III. CARPOPHILINÆ.

- Carpophilinæ* Er. (1843), G. Z. IV, 226 & 233.
Carpophilides Lacord. [1854 (1855)], 290 &
293.
Carpophilini Ganglb. (1899), 447 & 457—
Grouv. (1908), C. R. I. 326—Reitt.
(1911), F. G. K. 11 & 14.
Carpophilidae Murr. (1864), M. N. 230 & 255—
Reitt. (1873), S. E. N. 7.

4. Brachypeplus Er.

- Erichs. (1843), G. Z. IV 245—Lacord. [1854
(1855)], G. C. 293 & 297—Murr. (1864),
M. N. 257 & 286-309 [key to species]—
Grouv. (1908), C. R. I. 326-328 [key
to species].
Nitidulopsis Wlk. (1858), A. M. N. H.
(3) II, 206—Olliff (1885), P. L. W. X,
70.
Subgen. *Leiopeplus* Murr. (1864), M. N.
287 & 304.
Subgen. *Liparopeplus* Murr. *l. c.* 287 &
306.
Subgen. *Onicotis* Murr. *l. c.* 287 & 288.

Subgen. <i>Selis</i> Murr. <i>l. c.</i> 287 & 302.	
Subgen. <i>Tasmus</i> Murr. <i>l. c.</i> 287 & 290.	
aequalis Walk. (<i>Nitidulopsis</i>), 1858, Ceylon ¹	
A. M. N. H. (3) II, 206 ¹ —Olliff (1885),	
P. L. W. X, 70—Grouv. (1908), C. R. I.	
328.	
birmanicus Grouv. (1892), A. M. G., XXXII, Burma ¹	
834 ¹ .	
dubreuili Grouv. (1908), C. R. I, 327 & Madura ¹	
328 ¹ .	
feai (feæ) Grouv. (1892), A. M. G. XXXII, Burma ¹	
835. ¹	
latus Murr. (1864) M. N. 301 ¹ & 309.	Singapore ¹
	Sarawak ¹
lowei Murr. <i>l. c.</i> , 301 ¹ & 309.	Borneo ¹
notatus Murr. <i>l. c.</i> , 300 ¹ & 309—Grouv.	Ceylon ¹
(1908), C. R. I. 328.	
obesus Grouv. (1895) B. S. E. F. CCLVIII. ¹	East Indies ¹
patruelis Murr. (1864), <i>l. c.</i> , 299 ¹ & 309.	East Indies ¹

5. *Cillæus* Laporte.

Laporte, (1835) E. E. 138—Erichs. (1843),
 G. Z. IV 247—Lacord. [1854 (1855)],
 G. C. 293 & 297—Murr. (1864), M. N.
 311—Grouv. (1906), A. S. E. F. LXXV,
 68—(1908), C. R. I. 327 & 329.

latus Grouv. (1908), C. R. I. 329 ¹ .	Nilgiris ¹
simoni Grouv. (1893), A. S. E. F. LXII, 383 ¹ .	Ceylon ¹

6. *Platynema* Rits.

Ritsema (1885), N. L. M. VII, 29—Grouv.
 (1908), C. R. I. 327.
Oriogramma Murr. (1864), M. N. 318.

breviceps Murr., <i>l. c.</i> , 323. ¹	Nicobars ¹
olliffi Rits. (1885), N. L. M. VII, 29 ¹ .	Andamans ¹

7. **Carpophilus** Steph

Steph. (1830), I. B. E. III, 50—Lacord. [1854 (1855)], G. C. 293 & 295—Murr. (1864), M. N. 341-398 [key to species]—Ganglb. (1899), K. M. 458—Grouv. (1908), C. R. I. 327 & 330-338 [key to species]—Blair (1922), E. M. M. LVIII, 3,65 [key to species].

BIOLOGY : Perris, (1853), A. S. E. F. (3) I, 593, sep. I (1863), 71, t. 18, figs. 69-76—Murtfeldt (1903), Ent. News, XIV, 293—Steb. (1914), I. F. I. 109—Dash. (1916), Rept. Dept. Agric. Barbados, 1914-15, 38-44—Rutgers (1918), Verslag Van den Directeur Van het Algemeen Proefstation der A. V. R. O. S., 1-VII-17—30-VI-18, 44—Zwaluwenburg (1918), Rept. Porto Rico Agric. Expt. Sta. 1917, 31-34—Roepke (1918), Entomologische onderzoeken 1917-18, 13-14 [control]—Ghosh (1921), R. P. E. M. 108.

Subgen. *Tribrachys*, Lec. (1861), C. N. A. 83.

Subgen. *Ecnomorphus* Motsch. (1858), E. E. VII, 42—Murr. (1864), M. N. 385.

Subgen. *Eidocolastus* Murr. l. c. 399—Grouv. (1908), C. R. I. 327 (note).

Idocolastus Gemm. & Harold (1868), C. C. III, 814.

Subgen. *Endomerus* Murr., l. c., 384.

Nitops Murr. l. c. 382—Grouv. (1896), A. S. E. F. LXV, 178.

Subgen. *Heterodontus* Murr. l. c. 342.

Subgen. *Microxanthus* Murr. l. c. 389.

Subgen. *Myothorax* Murr. l. c. 372.

Subgen. *Stauroglossicus* Murr. l. c. 398—Grouv. (1908), C. R. I. 327 [note].

Subgen. *Urophorus* Murr. l. c. 342.

- bicolor** Grouv. (1892), A. M. G. XXXII, Burma¹
836¹ & 838—Grouv. (1897), l. c.
XXXVIII, 351 (*Urophorus*).
bifenestratus Murr. (1864), M. N. 364¹ & Ceylon¹
396—Grouv. (1908), C. R. I. 330² & Kurseong²
337. Mahe²
biguttatus Motsch. (1858), E. E. VII, 43—India¹
Murr. (1864), M. N. 387—Grouv.
(1908), C. R. I. 333¹ & 338 (*Enomorphus*).
cribratus Murr. l. c. 369¹ & 397. East Indies¹
cylindricus Murr. l. c. 382¹ & 397—Grouv. Ceylon¹
(1908), C. R. I. 337 (*Myothorax*).
dimidiatus F. (*Nitidula*) (1792), E. S. I, 1, Cosmopolitan.
261—Murr. l. c. 379 & 397—Ganglb.
(1899), K. M. 459 & 460—Grouv.
(1908), C. R. I. 332 & 337.
 BIOLOGY : Morrill (1913), J. E. E. VI, 2, 185—
195—Wimhurst (1920), Ad. Rept.
Agric. Directorate [Mesopotamia],
1919, 39-41—Buxton (1920), B. E. R.
294—Essig (1921), M. B. C. S. X, 4,
140-143, 3 figs.
auropilosus Woll. (1854), I. M. 117.
leuvi Reitt. (1884), N. J., 258 & 300—
Grouv. [1912 (1913)], A. S. E. F.
LXXI, 388.
pusillus Steph. (1830), I. B. E., 51.
var. *contigens* Wlk. (*Nitidula*), (1858),
A. M. N. H. (3) II, 206—Olliff (1885),
P. L. W. X, 69—Grouv. (1908),
C. R. I. 332.
biguttatus Gemm. & Harold (1868), C. C.
810.
dilutus Murr. (1864), M. N. 373.
limbalis Murr. l. c. 373.
nigritus Murr. l. c. 373.
robustus Murr. l. c. 373.
testaceus Murr. l. c. 373.
vittiger Murr. l. c. 373—Grouv. (1908),
C. R. I. 332.

- var. *fumatus* Boh. (1851), Ins. Caffr. I,
2,564—Murr. l. c. 375 & 397.
- var. *luridus* Murr. l. c. 377 & 397.
- var. *mutilatus* Er. (1843), G. Z. IV, 258—
Murr. l. c. 378 & 397—Grouv. (1908),
C. R. I. 322—Steb. (1914), I. F. I.
108.
- hemipterus* F. (*Nitidula*) (1792), E. S. I.
261.
- bimaculatus* Montr. (*Ips*) (1860), A. S.
E. F. (3) VIII, 262.
- puberulus* Montr. (*Ips*) l. c. 263.
- var. *ochropterus* Klug (1862), Peter's
Reise, 209, t. 12, f. 9—Murr. (1864),
M. N. 377 & 397—Fairm. (1869),
A. S. E. F. (4) IX, 200—Grouv. (1908),
C. R. I. 332.
- tempestivus* Jacq. du Val. (non Er.)
(1856), Hist. Cuba, Ins. 42, ed. 8°, 1857,
96—Chevr. (1863), A. S. E. F. III,
602.
- dubitabilis** Grouv. (1897), A. M. G. Ceylon¹
XXXVIII, 355¹—Grouv. (1908), Burma²
C. R. I. 336² & 338 (*Stauroglossicus*).
- erythrogonus** Grouv. (1898), A. S. E. B. Bengal¹
XLII, 110¹—(1908), C. R. I. 338.
- familiaris** Grouv. (1897), A. M. G. Tenasserim¹
XXXVIII, 353¹.
- feai** (*feae*) Grouv. (1890), l. c. XXIX, 120—Burma.
(1892), XXXII, 338—(1897),
XXXVIII, 351 (*Urophorus*).
- flavipes** Murr. (1864), M. N. 359¹ & 395—Celebes¹
Grouv. (1908), C. R. I. 337—Steb. Singapore¹
(1914), I. F. I., 109², f. 72 [biol.] Siwaliks²
- fulvipes** Motsch. (1858), E. E. VII 42—Murr. Ceylon¹
l. c. 352¹ & 395—Grouv. (1908),
C. R. I. 338.
- var. *fusculus* Motsch. l. c. 42¹.
- funereus** Murr. l. c. 358¹ & 396—Grouv. Ceylon¹
l. c. 338.
- hebetatus** Grouv. l. c. 334 & 338, t. 6, f. 1. Bengal¹
fulvipes Grouv. (1894), (non Motsch.), Belgaum¹

A. S. E. B. XXXVIII, 578—(1908), Nilgiris
 C. R. I. 335¹.

hemipterus L. (*Dermestes*) (1758), S. N. X, Cosmopolitan.
 358—(1767), XII, 1, 2, 565—Murr.
 (1864), M. N. 362 & 395—Ganglb.
 (1899), K. M. 439 & 460—Grouv.
 (1908), C. R. I. 337—Blatchley (1910),
 Cat. Col. Indiana, 631 & 632, fig.
 (*Myothorax*).

BIOLOGY : Perris [1875 (1876)], A. S. L. L.
 XXII, 303, f. 33 & 34, sep. ed. Dey-
 rolle (1877), 45, f. 33 & 34—French
 (1911), Jl. Dept. Agr. Victoria, IX,
 640—Steb. (1914), I. F. I. 108, f. 71—
 Essig (1915), J. E. E. VII, 396-400, 4
 figs. [control]—Morrill (1917), 9th Ann.
 Rept. Arizona Commiss. Agric. &
 Hortic. 30-VI-17, 15-61—De Ong
 (1918), M. B. C. S. VII, 6, 429 [con-
 trol]—Gurney (1918), Agric. Gaz.,
 N. S. W., XXIX, 9, 641-650, 11 figs.—
 Maskew (1919), M. B. C. S. VII, 6,
 429-432—Morris (1920), Ann. Trop.
 Med. Parasit. XII, 4, 339-342—Essig
 (1920), M. B. C. S. IX, 3, 119-125, 5
 figs. [control]—Maskew & Strong *l. c.*
 12, 721-735—Poutiers (1921), Bull.
 Soc. Path. Vég. France, VIII, 1, 45-
 46—De Ong (1921), J. E. E. XIV, 5,
 444-447 [control].

bimaculatus L. (1767), S. N. ed. XII, 1,
 2, 569—Ol. (*Nitidula*) (1790), Ent.
 II, 12, p. 4, t. 2, f. 11—Melsh. (*Cercus*)
 (1844), II, 105.

brevipennis Germain (1835), Anales Unio.
 Chile, 397.

cadaverinus F. (*Nitidula*) (1801), S. E. I.
 354.

dimidiatus Heer (*Cateretes*) (1841),
 F. H. I, 413.

ficus F. (*Stenus*) (1801), S. E. 603.

flexuosus Herbst. (*Nitidula*) (1790), Käf,
V, 246, t. 54, f. 5.

pictus Heer (*Cateretes*) (1841), F. H. 413.
quadriguttatus Thunb. (*Nitidula*) (1794),

Ins. Suec. V. 70.

var. *quadratus* F. (*Nitidula*) (1798),
Suppl. E. S. 74.

var. *quadrisignatus* Er. (1843), G. Z. 257
—Murr. (1864), M. N. 363 & 396.

heros Grouv. (1892), A. M. G. XXXII, 836¹ Burma¹
& 838—(1897), l. c., XXXVIII, 351.

humeralis F. (*Nitidula*) (1798), E. S. Suppl. India.

74—Murr. (1864), 343 & 394—Grouv.
(1892), A. M. G. XXXII, 838—(1897),
XXXVIII, 351—(1908), C. R. I. 330
& 336 (*Urophorus*)—Muir (1918),
T. E. S. L. 224, pl. X, f. 7 [genitalia].

Trop. Africa
Madagascar
Seychelles

foveicollis Murr. l. c. 344 & 394—Grouv.
(1892) A. M. G. XXXII, 838—(1897),
XXXVIII, 351—(1908), C. R. I. 330—
Lefroy (1909), Ind. Ins. Life-297
[biol.]—Steb. (1914), I. F. I. 109
[biol.].

picinus Boh. (*Brachypterus*) (1851), Ins.
Caffr. I. 2, 560—Murr. (1864), M. N.
343.

var. *punctatus* Fleut. (1887), A. S. E. F.
(6), VII, 61—Grouv. [1912 (1913)],
l. c., LXXXI, 388.

lepidus Murr. (1864), M. N. 399¹ (*Stauro-*
glossicus). East Indies¹

ligatus Murr. l. c. 363¹ & 396—Grouv.
(1908), C. R. I. 337².

Ceylon¹

Burma²

Sumatra²

India¹

Ceylon¹

China¹

Madagaskar²

Southern Asia²

marginellus Motsch. (1858), E. E. VII, 40—

Murr. l. c. 347¹ & 394, t. 33, f. 1—

Grouv. (1908), C. R. I. 330² & 336.

- murrayi** Grouv. (1892), A. M. G. XXXII, Burma¹
837—(1908), C. R. I. 333² & 338. Nilgiris²
- obesus** Murr. (1864), M. N. 361¹ & East Indies¹
396.
- oblongopunctatus** Grouv. (1903), A. S. E. F. Darjiling¹
LXXII, 108¹—(1908), C. R. I.
337.
- obsoletus** Er. (1843), G. Z. 259—Murr. Ceylon¹
(1864), M. N. 368¹ & 396—Grouv. East Indies¹
(1908), C. R. I. 336—Steb. (1914),
I. F. I. 109. —————
Siam¹
- cribellatus** Motsch. (1858), E. E. VII,
41.
- funerus** Reitt. (non Murr.) (1884), N. J.
259—Grouv. [1912 (1913)], LXXXI,
388.
- var. *strigipennis* Motsch. l. c. 41—Murr.
l. c. 368.
- pilosellus** Motsch. l. c. 41—Murr. l. c. 380¹ Ceylon¹
& 397—Grouv. (1908), C. R. I. 333 & East Indies¹
337 (*Myothorax*). —————
Japan¹
Tongking¹
Celebes¹
- plagiaticornis** Motsch. (*Colastus*) (1858), Ceylon¹
E. E. VII, 39—Murr. l. c. 400¹, t. 33, Belgaum²
f. 6—Grouv. l. c. 336² & 338 (*Eidocolastus*).
- dilutus** Motsch. (*Colastus*) l. c. 39—Murr.
l. c. 400—Grouv. [1912 (1913)],
A. S. E. F. LXXXI, 388.
- bosschai** (*boschae*) (1892), N. L. M. XIV,
43.
- pubescens** Murr. l. c. 383¹ & 398 (*Endomeras*). Ceylon¹
- sericeus** Motsch. (1858), E. E. VII, 41— East Indies¹
Murr. l. c. 368¹ & 396—Grouv. (1908), Kurseong²
C. R. I. 331² & 336.
- signatus** Grouv. (1908), C. R. I. 333¹ & 337. Kurseong¹
var. *ornatus* Grouv. l. c. 334². Sikki m²

tectus Murr. (1864), 359¹ & 396—Grouv. *l. c.* Ceylon²
332² & 336.

Borneo¹
Singapore¹
Sarawak¹

undulatus Grouv. *l. c.* 331¹ & 336. Siwaliks¹

Java¹

8. **Tetrisus** Murr.

Murr. (1864), M. N. 404—Grouv. (1908),
C. R. I. 327 & 338.

curvipes Grouv. *l. c.* 338¹. Nilgiris¹
epuraeoides Grouv. (1892), A. M. G. XXXII, Burma¹
839¹.

hydroporoides Murr. (1864), M. N. 405¹, East Indies¹
t. 35, f. 10.

IV. NITIDULINÆ.

Nitidulinæ Er. (1843), G. Z. IV, 226 &
266.

Nitidulides Lacord, [1854 (1855)], G. C., 290
& 300.

Nitidulites Jac. du Val. (1858), Gen. Col.
d'Eur II, 140 & 157.

Nitidulina Thoms. (1859) S. C. I, 67—(1862),
IV, 162—(1867), IX, 370.

Nitidulini Lec. (1861), C. N. A. 82 & 83—
Ganglb. (1899), K. M. 447 & 462 [key
to genera]—Grouv. (1908), C. R. I.
326 & 339 [key to genera]

Nitidulidae Murr. (1864), M. N. 230.

Nitiduli Mars. (1885), N. R. 19 & 20.

Nitiduliens Lameere (1900), Fn. Belg. 343 &
345.

9. **Eenomaeus** Er.

Er. (1843), G. Z. IV, 264—Lacord. [1854
(1855)], G. C. 293 & 299—Murr.
(1864), M. N. 408—Grouv. (1908),
C. R. I. 340 & 342.

haroldi Reitt. (1873), S. E. N. 182¹—Steb. Himalaya¹
(1914) I. F. I. 110². Siwaliks²
waterhousei Grouv. (1908), C. R. I. 342¹, North India¹
t. 6, f. 5—Steb. (1914), I. F. I. 110². Siwaliks²

10. **Trimenus** Murr.

Murr. (1864), M. N. 405—Grouv. (1908),
C. R. I. 340 & 343.

adpressus Murr. l. c. 406 ¹ , t. 36, f. 4.	East Indies ²
angustatus Murr. l. c. 407 ² —Grouv. (1908), l. c. 343 ³ .	Ceylon ³ Nilgiris ³

Malay Archipelago¹

parallelopipedus Motsch.

(*Epuræa*) (1863), B. M. I. 438¹—Reitt. Ceylon¹
(1873), S. E. N. 29—Grouv. (1908),
C. R. I. 343¹.

11. **Haptoncus** Murr.

Murr. (1864), M. N. 401—Reitt. (1884), N. J.
258—Grouv. (1908), C. R. I. 340 & 343-
346 [key to species].

Haptoncura Reitt. (1875), V. N. V. B. XIII,
61 & 64, sep. 11 & 14—(1884), N. J.
259.

concolor Murr. (1864), M. N. 402¹—Grouv. Nilgiris²
(1908), C. R. I. 346².

New Guinea¹

epuræoides Grouv. l. c. 344¹ & 346.

Ceylon¹

luteolus (*Epuræa*) (1843), G. Z. 272—

Ceylon^{3, 4}

Chevr. (*Epuræa*), (1863), A. S. E. F. 4

(III), 602—Reitt. (*Haptoncura*) (1875),

Cuba¹

- V. N. V. B. XIII, 62, sep. 12—Grouv. Madagascar²
 (1906), A. S. E. F. LXXV, 75²—
 (1908), C. R. I. 346 [note].
- floreolus* Sharp (1890), B. C. A. II, 1, 305.
intendens Walk. (*Nitidula*) (1858),
 A. M. N. H. (3) II, 206³—Olliff (1858),
 P. L. W. X. 70.
- pauperculus* Reitt. (1873), S. E. N. 179.
pubescens Murr. (1864), M. N. 403⁴.
subquadratus Reitt. (1877), Mittheil.
 Münch. Ent. Ver. I, 22—Blackb.
 (*Haptoncura*) (1891), Trans. R. Soc.
 S. Austr. XIV, 105—Grouv. (1906),
 A. S. E. F. LXXV, 75².
- texanus* Crotch (1874), Trans. Amer.
 Ent. Soc. III 76.
- motschulskyi** Reitt. (1873), S. E. N. 29—
 Grouv. (1908), C. R. I. 344.
- augustulus* Motsch. (*Epuræa*) (1863), Ceylon¹
 B. M. I. 439¹.
- ocularis** Fairm. (*Epuræa*) (1849), Rev. Zool. Ceylon¹
 (2) I, 363, sep. Col. Polynesie, 28—Calcutta¹
 Reitt. (1873), S. E. N. 27—(*Hapton-* Sikkim¹
cura) (1875), V. N. V. B. 62, sep. 12—
 Grouv. (1908), C. R. I. 343¹-345. Japan¹
- bifaciatus* Kraatz. (*Epuræa*) (1895), Tahiti¹
 D. E. Z. 148—Grouv. [1912 (1913)], East Africa¹
 A. S. E. F. LXXXI, 395¹.
- decoratus* Reitt. (*Epuræa*) (1873), Madagascar¹
 S. E. N. 28 & 41—Grouv. (1906),
 A. S. E. F. LXXV, 75¹.
- significans* Wlk. (*Nitidula*) (1858), Ceylon¹
 A. M. N. H. 3 (II), 206¹—Olliff (1858),
 P. L. W. X. 70.
- tetragonus* Murr. (1864), M. N. 401¹, t. 33, Ceylon¹
 f. 7—Reitt. (1884), N. J. 259.
- thiemei* Reitt. (*Epuræa*) (1873), S. E. N. Japan¹
 28 & 41—(1884), N. J. 260¹.
- pulsillus** Grouv. (*Macroura*) (1894), A. S. Kurseong¹
 E. B. XXXVIII, 585¹—(1907),
 A. M. G. XLIII, 575—(1908), C. R. I.
 344 & 345.

- reflexicollis** Motsch. (*Epuræa*) (1863), Ceylon¹
 B. M. II, 431¹—Reitt. (1873), S. E. N. Nilgiris³
 27²—(1877), D. E. Z. XXI, 189—
 Grouv. (1908), C. R. I. 344³ & 346. Japan²
testaceus Murr. (1864), M. N. 403¹—Ceylon²
 Grouv. (1908), C. R. I. 346².
vulpecula Redt. (1867), R. N. 34—Macassar¹
 Reitt. (1873), S. E. N. 27.

12. **Propetus** Reitt.

- Reitt. (1875), V. N. V. B. XIII, 62 & 64, sep.
 12 & 14—Grouv. (1908), C. R. I. 340
 & 345.

- nigripennis** Redtb. (*Epuræa*) (1867), R. N.
 34¹—Reitt. (1873), V. N. V. B. XIII
 63, sep. 13. Ceylon¹

13. **Amystrops** Grouv.

- Grouv. (1906), A. M. G. XLII, 312.

- montana** Grouv. (1913), R. I. M. VIII, 2, Assam¹
 103¹.

14. **Omosita** Er.

- Er.** (1843), G. Z. IV, 298—Lacord. [1854
 (1855)], G. C. 301 & 309—Ganglb.
 (1899), K. M. 464 & 488—Grouv.
 (1908), C. R. I. 341 & 361—Verhoeff.
 (1923), A. N. 13, 78-80, pl. I, figs. 1-3
 & 15.

- ornata** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
 112¹.

15. **Epuræa** Er.

- Er.** (1843), G. Z. IV, 267—Lacord. [1854
 (1855)], G. C. 301 & 302—Ganglb.

(1899), K. M. 464 & 470—Grouv.
 (1908), C. R. I. 340 & 346-352 [key to species].

BIOLOGY: Perris (1862), A. S. E. F. 2 (IV), 184-189, pl. 5—Bagnall (1906), E. M. M. 42—(1906), Trans. Nat. Hist. Soc. Northumberland, 1, 416-420—Scott (1920), T. E. S. L. 99-127, figs. 1-8—Verhoeff (1923), A. N. 13, 72-78, pl. II, figs. 16-18 & 20-21 ; pl. VII, figs. 87-91.

Subgen. *Dadopora* Thoms. (1859), S. C. I, 68—(1862), IV, 168—(1867), IX, 378—Reitt. (1911), F. G. K. 29 & 30—Ganglb. (1899), K. M. 473.

Subgen. *Epuræanella* Crotch (1874), Trans. Amer. Ent. Soc. V, 76.

Omosiphora Reitt. (1875), V. N. V. B. XIII 56 & 63, sep. 6 & 13.

Subgen. *Micrurula* Reitt. (1884), W. E. Z. III, 209—Ganglb. (1899), K. M. 472.

Micruria Reitt. (1874), V. N. V. B. XIII, 56 & 64, sep. 8 & 14.

andrewesi Grouv. (1908), C. R. I. 350¹ & Nilgiris¹ 352.

apicalis Grouv. (1903), A. S. E. F. LXXII, Sikkim¹ 110¹—(1908), C. R. I. 352.

arcuata Grouv. (1908) l. c. 350 & 352, t. 6, Nilgiris¹ f. 6.

birmanica Grouv. (1892), A. M. G. XXXII, Burma¹ 840¹.

braeti Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹ 578¹—(1908), C. R. I. 355 (*Micrurula*).

brunnea Wiedem. (1823). Z. M. II, 72¹—India¹ Grouv. (1908), C. R. I. 352 [note].

cerina Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹ 579¹—(1908), l. c. 355 (*Micrurula*).

consobrina Grouv. (1892), A. M. G. XXXII, Burma¹ 840¹.

- convexa** Grouv. (1908), C. R. I. 354¹ & 355 Darjiling¹
(Micrurula).
- cribrata** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
 111¹—(1908), l. c. 351.
- dubitabilis** Grouv. (*Haptonecra*) (1890), Tenasserim¹
 A. M. G. XXIX 121¹.
- emarginata** Grouv. (1906), l. c. XLII, 316¹. Burma¹
- exculta** Grouv. [1912 (1913)], A. S. E. F. Darjeeling¹
 LXXXI, 394.
- ornata** Grouv. (non Reitt.) (1903), l. c.
 LXXII, 109¹—(1908), C. R. I. 352.
- fossicollis** Grouv. l. c. 347¹ & 351. Assam¹
- indica** Grouv. (1894), A. S. E. B. XXXVIII,
 459¹—(1908), l. c. 346 & 351, t. 6, f. 9.
- insolita** Grouv. l. c. 353¹ & 355 (*Micrurula*). Khasia¹
- latissima** Reitt. (1880), N. L. M. II, 42¹—
 Grouv. l. c. 351². Sumatra¹
-
- Ceylon²**
- omissa** Grouv. l. c. 349 & 352¹. Assam¹
- persimilis** Grouv. (1913), B. S. E. F. IV,
 253. Assam¹
- affinis** Grouv. (non Steph.) (1908)
 C. R. I. 352¹ & 355 (*Micrurula*).
- propinqua** Grouv. (1906), A. M. G. XLII, Burma¹
 365¹.
- pumila** Grouv. (1897), l. c. XXXVIII, 359¹— India¹
 (1908), C. R. I. 351.
- reticulata** Grouv. (1892), A. M. G. XXXII, Burma¹
 841¹.
- submaculata** Wlk. (*Nitidula*) (1859), Ceylon¹
 A. M. N. H. (3) III, 52¹—Olliff (1885),
 P. L. W. 70—Grouv. (1908), C. R. I.
 352.
- subochracea** Grouv. (1903), A. S. E. F. Darjiling¹
 LXXII, 111¹—(1908), C. R. I. 352.
- subtilis** Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
 579¹—(1908), C. R. I. 355 (*Micrurula*).
- waterhousei** Grouv. l. c. 348¹ & 352. N.-W. Himalayas¹

16. Stelidota Er.

Er. (1843, G. Z. 300—Lacord [1854 (1855)],
 G. C. 301 & 310—Ganglb. (1899),

K. M. 463 & 466—Grouv. (1908),
C. R. I. 339 & 361.

multiguttata	Reitt. (1877), D. E. Z. XXI, Japan ¹
110 ¹ —(1884), N. J. 262 ¹ —Grouv. —————	
(1908), C. R. I. 361 ² . Ceylon ²	
nigrovaria Fairm. Nilgiris ²	
(<i>Omosita</i>) (1849), Rev. Mag. Zool. (2) I, Tahiti ¹	
364, sep. Col.-Polynésie, 28. —————	
multiguttata Grouv. (non Reitt.) (1892), Bengal ¹	
A. S. E. B. XXXVI, 60 ¹ —(1894),	
C. R. I. 361. —————	

17. *Ipidia* Er.

Er. (1843), G. Z. IV, 289—Lacord. [1854
(1855)], G. C. 301 & 304—Ganglb.
(1899), K. M. 463 & 465.

sibirica Reitt. (<i>Stelidota</i>) (1879), D. E. Z. Japan	
XXIII, 216—(1884), N. J. 262—Mars. Siberia	—————
(<i>Stelidota</i>) (1885), N. R. 77. Burma.	

18. *Prometopia* Er.

Er. (1843), G. Z. IV, 279—Lacord. [1854 (1855)], G. C. 301 & 306—Murr. (1867), A. M. N. H. (3) XIX, 168, sep. Col. Old. Cal. 85—Grouv. (1908), C. R. I. 340 & 358-359 [key to species].	
catilina Olliff (1883), T. E. S. L. 177 ¹ — Grouv. (1897), A. M. G. XXXVIII, 366—(1908), C. R. I. 358 ² & 359 [note].	Borneo ¹ ————— Kandhesh ²
gracilis Grouv. (1908), C. R. I. 358 ¹ & 359, t. 6, f. 11.	Nilgiris ¹
quadrimaculata Motsch. (1863), B. M. East India ¹ XXXVI, I, 440 ¹ —Grouv. (1897), Ceylon ¹ A. M. G. XXXVIII, 366—(1908), Sikkim ² C. R. I. 358 ² & 359—Arrow (1900), Monogr. Christm. Isl. 92 ³ .	————— Cochin-China ³

setosula Grouv. (1894), A. S. E. B. Barway, Bengal¹
XXXVIII, 580¹—(1908), C. R. I. 359.

19. **Parametopia** Reitt.

Reitt. (1884), N. J. 259 & 262—(1885), 17--
Grouv. (1908), C. R. I. 340 & 359-361
[key to species].

concolor Grouv. (1891), C. R. Soc. Ent. Kunbir, Bengal¹
Belg. XXXV, CCXXXVII¹—(1908),
C. R. I. 361.

indica Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
581¹—(1908), C. R. I. 361.

tripunctata Grouv. (1908), C. R. I. 360¹. Nilgiris¹
var. *trinotata* Grouv. l. c. 360¹ & 361, Mahé¹
t. 6, f. 12.

20. **Axyra** Er.

Er. (1843), G. Z. IV, 285—Lacord. [1854
(1855)], G. C. 301 & 305—Murr.
(1867), A. M. N. H. (3) XIX, 169, sep.
Col. Old. Cal. 87—Grouv. (1908),
C. R. I. 341 & 356.

Galaor Thoms. (1858), Arch. Ent. II, 43.

Subgen. *Axyrodes* Murr. (1867), A. M. N. H.
(3) XIX, 170, sep. Col. Old. Cal. 88.

feai (*feæ*) Grouv. (1890), A. M. G. XXIX, Burma¹
122¹—(1908), C. R. I. 356 [note].

perplexa Reitt. (1873), S. E. N. 53¹—Grouv. East India¹
(1908), C. R. I. 356-357 [add. descr.].

21. **Megauchenia** M'Leay.

M'Leay (1825), A. J. 45, ed. Lequien (1833),
155—Arrow (1909), A. M. N. H. (8) IV,
191—Heller (1923), E. B. 19, 1-43
[key to species].

Ischæna Er. (1843), G. Z. IV, 287—Lacord. [1854 (1855)], G. C. 301 & 306—Reitt. (1873), S. E. N. 10 & 53—Grouv. (1908), C. R. I. 340 & 357-358 [key to species].

angustata Er. (<i>Ischæna</i>) (1843), G. Z. 288 ¹	East Indies ¹
Grouv. (1890), A. M. G. XXIX, 124—	Pegu ²
(1908), C. R. I. 358 ² (<i>Ischæna</i>). var. <i>peninsularis</i> Grouv. (1890), A. M. G.	Burma ³
XXIX, 123 & 124 ³ —Heller (1923), E. B. 19, 1, 41 ⁴ (<i>angustata</i>). feai Grouv. (<i>feeæ</i>) emend. (<i>Ischæna</i>) (1892), A.M.G. XXXII, 842 ¹ —Heller (1923), E. B. 19, 1, 42.	Tenasserim ⁴ Malay Archipelago ² Malacca ¹ Tongking ² Burma ¹
indica Grouv. (<i>Ischæna</i>) (1908), C. R. I. 357 ¹	Nilgiris ¹
t. 6, f. 5—Heller (1923), E. B. 19, 1. 42.	
interstitialis Reitt. (<i>Ischæna</i>) (1880), A. M. G. XV, 456—Grouv. (<i>Ischæna</i>) (1890), A. M. G. XXIX, 123 ¹ —Heller (1923), E. B. 19, 1, 41 ² .	India ¹ New Guinea ²

22. *Soronia* Er.

Er. (1843), G. Z. IV, 277—Lacord. [1854 (1855)], G. C. 301 & 304—Ganglb. (1899), K. M. 464 & 468—Grouv. (1908), C. R. I. 340 & 356 [key to species]—Verhoeff (1923), A. N. 13. 88-91, pl. II, figs. 25-26.

bræti Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹ 580¹—(1908), C. R. I. 356.
imperialis Grouv. (1903), A. S. E. F. LXXII, Darjiling¹ 113¹—(1908), C. R. I. 356.

minima Grouv. (1903), A. S. E. F. LXXII, Darjiling¹ 113¹—(1908), C. R. I. 356,

23. **Atarphia** Reitt.

Reitt. (1884), N. J. 260 & 263—(1885), l. c.
39.

Pseudoplatyhora Grouv. (1890), N. L. M.
XII, 15 & 31.

convexiuscula Grouv. (*Pseudoplatyhora*) East Indies¹
l. c. 15¹ & 31.

24. **Physoronia** Reitt.

Reitt. (1884), N. J. 260 & 263—(1885), 18.

reitteri Grouv. (1892), A. M. G. XXXII, Burma¹
843¹ (*Physorhina*).

25. **Amphicrossus** Er.

Er. (1843), G. Z. IV, 346—Lacord. [1854
(1855)], G. C. 319 & 323—Grouv. (1908),
C. R. I. 341 & 381-384 [key to species].

Lobostoma Fairm. (1892), Rev. d'Ent. XI 90—
Grouv. (1908), B. S. E. F. 109.

Rhacostoma Berg. (1898), Com. Mus. Buenos
Aires I, 18.

densatus Grouv. (1908), C. R. I. 383¹ & 384. Assam¹

discolor Er. (1843), G. Z. IV, 348—Reitt.
(1873), S. E. N. 99—Grouv. (1908),
C. R. I. 381¹ & 384.

Annam¹
East Indies¹

Nilgiris¹
Sumatra¹

muticus Grouv. (1908), C. R. I. 381¹ & 384.

oblongus Grouv. (1897), A. M. G. XXXVIII,
368—(1908), C. R. I. 381¹ & 384.

Pegu¹
Travancore¹
Bengal¹
Calcutta.¹
Pegu¹

taopus Grouv. (1892), A. S. E. B. XXXVI,
60—(1908), C. R. I. 381¹ & 384.

pilosus Grouv. (1908), C. R. I. 382¹ & 384. Ceylon¹
plagiatus Grouv. (1890), A. M. G. XXIX, Burma¹
 125¹.

26. *Aethina* Er.

Er. (1843), G. Z. IV, 306—Lacord. [1854
 (1855)], 301 & 302—Murr. (1857),
 A. M. N. H. (3), XIX, 176—(1868)
 sep. Ins. Old. Cal. 94—Grouv. (1908)
 C. R. I. 341 & 380 [key to species].
 Subgen. *Aethinopa* Reitt. (1875), V. N. V. B.
 XIII, 109, sep. 13.

argus Grouv. (1890), A. M. G. XXIX, 125¹. Burma¹
elongata Reitt. (1875), V. N. V. B. XIII, East Indies¹
 109¹, sep. 13.
nigrocastanea Grouv. (1903), A. S. E. F. Darjiling¹
 LXXII, 115¹—(1908), C. R. I. 380.
obscura Reitt. (1873), S. E. N. 86¹—Grouv. Himalayas¹
 (1908), C. R. I. 380.
puncticollis Grouv. (1897), A. M. G. Tenasserim¹
 XXXVIII, 366¹.
vicina Grouv. (1894), A. S. E. B. XXXVIII, Kurseong¹
 585¹—(1908), C. R. I. 380.

27. *Aethinopsis* Grouv.

Grouv. (1908), C. R. I. 341 & 379.

antennata Grouv. (1908), C. R. I., 379¹. Sikkim¹

28. *Macroura* Reitt.

Reitt. (1873), S. E. N. 56 & 80—Grouv.
 (1907), A. M. G. XLIII, 552—(1908),
 C. R. I. 341 & 377-378 [key to species].
Idathina Olliff (1884), N. L. M. VI. 73—
 Grouv. (1908), A. M. G. XLIV, 78.

cyaneipennis Grouv. (*Aethina*) (1903), Darjiling¹
 A. S. E. F. 116—(1907), A. M. G. Sikkim¹

- XLIII, 572¹ & 574—(1908), C. R. I.
378¹.
- densita** Reitt. (1875), V. N. V. B. 110¹, sep. Ceylon¹
14—Grouv. (1908), C. R. I. 378¹.
- longipennis** Motsch. (*Carpophilus*) (1858), Ceylon¹
E. E. VII, 40¹—Grouv. (1907),
A. M. G. XLIII, 564 & 574.
- meligethoides** Reitt. (1873), S. E. N. 82¹— Himalayas¹
Grouv. (1907), A. M. G. XLIII, 574—
(1908), C. R. I. 378¹. Australia¹
- nigritula** Reitt. (1873), S. E. N. 82—Grouv.
(1907), A. M. G. XLIII, 575—(1908), India¹
C. R. I. 378¹.
—
Malacca¹
Sumatra¹
- dubia* Grouv. (1894), A. S. E. B. Java¹
XXXVIII, 461—(1907), A. M. G.
XLIII, 575.
- orientalis** Nietner (*Meligethes*) (1856), Ent.
Papers (*Colombo*), II, 11—(1857),
A. M. N. H. (2), XIX, 384—Grouv.
(1907), A. M. G. XLIII, 574—(1908),
C. R. I. 378.
- nigritula* Olliff (*Idæthina*) (non Reitt.),
(1885), P. L. W. X. 70.
- respondens** Wlk. (*Meligethes*) (1859), Ceylon¹
A. M. N. H. (3) III, 53¹, Grouv. (1907), Bombay¹
A. M. G. XLIII, 562¹.
- subrugosa** Grouv. (1894), A. S. E. B. Belgaum¹
XXXVIII, 461¹—(1907), A. M. G.
XLIII, 575—(1908), C. R. I. 378.

29. **Pocadius** Er.

- Er. (1843), G. Z. IV, 318—Lacord. [1854
(1855)], 301 & 317—Ganglb. (1899),
K. M. 464 & 540—Grouv. (1908),
C. R. I. 341 & 380.

- harmandi** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
114¹.

testaceus Grouv. (1892), A. S. E. B. XXXVI, Bengal¹
60¹.

yunnanensis Grouv. (1910), N. L. M. Yunnan¹
XXXII, 251¹.

30. **Pocadites** Reitt.

Reitt. (1884), N. J. 264 & 267—(1885), 44—
Grouv. (1908), C. R. I. 341 & 380.

dubitabilis Grouv. (1892), A. M. G. XXXII, Burma¹
843¹.

insularis Grouv. (1908), C. R. I. 380¹. Andamans.¹

31. **Cyllodes** Er.

Er. (1843), G. Z. IV, 342—Lacord. [1854
(1855)], G. C. 319 & 320—Ganglb.
(1899), K. M. 464 & 543—Grouv.
(1908), C. R. I. 341 & 385-391 [key
to species].

Pseudocamptodes Grouv. (1896), A. S. E. F.
LXV, 76.

Strongylus Herbst. (1792), Käf. IV, 179
(pars)—Steph. (1830), I. B. E. III, 30
& 42 (pars)—Reitt. (1878), S. E. N.
98 & 128—Sharp. (1891), B. C. A.
355.

Volvoxis Kugel (1794), Schneid. Mag. I, 5,
355 (pars).

ænescens Grouv. (1892), A. M. G. XXXII, Burma¹
847¹ & 848.

andamanensis Grouv. (1908), C. R. I., 387¹ Andamans¹
& 390.

angustipes Grouv. l. c. 385-386¹ & 390. Sikkim¹

bifascies Wlk. (*Tritoma*) (1859), A. M. N. H.
(3) III, 259¹—Olliff (*Camptodes*)
(1885), P. L. W. X, 71—Grouv. (1908),
C. R. I. 385¹.

- opponens* Wlk. (*Chilocorus*) (1859),
 A. M. N. H. (3) IV, 219—Harold.
(Camptodes) (1875), Col. Hefte XIV,
 211.
- ornatus* Motsch. (*Camptodes*) (1863), Ceylon¹
 B. M. II, 442—Reitt. (1884), N. J. ———
 268—Grouv. (1908), C. R. I. 391. East Indies
 Cochin China
- notatus* Reitt. (*Strongylus*) (1873), 129—Japan
 (1885), W. E. Z. IV, 174.
- dubitabilis** Grouv. (1913), Col. Cat. Junk,
 pars. 56, 163.
- dubius** Grouv. (non. Reitt.), (1892), Burma¹
 A. M. G. XXXII, 846¹ & 849.
- humeralis** Grouv. l. c. 847¹ & 849. Burma¹
- indicus** Grouv. (1894), A. S. E. B. XXXVIII, Bengal¹
 462—(1908), C. R. I. 385¹ & 391. Kanara¹
- montanus** Grouv. (*Pseudocamptodes*) Nilgiris¹
 (1903), A. S. E. F. LXXII, 126—Kashmir¹
 (1908), C. R. I. 385¹.
- insularis** Grouv. (1908), l. c. 388¹ & 391, Andamans¹
 t. 7, f. 9.
- limbatus** Grouv. (1892), A. M. G. XXXII, Burma¹
 847¹ & 849.
- marginatus** Grouv. (1908), C. R. I. 386¹ & Cachar¹
 391. Assam.
- nigropunctatus** Grouv. (1892), A. M. G. Burma¹
 XXXII, 846¹ & 849.
- quadrimaculatus** Grouv. (1908), C. R. I. Andamans¹
 388¹ & 391.
- quadrinotatus** Grouv. (1892), A. M. G. Burma¹
 XXXII, 845¹ & 849.
- sexpunctatus** Grouv. (1908), C. R. I. 389¹ & Nilgiris¹
 391.
- undulatus** Grouv. (1892), A. M. G. Burma¹
 XXXII, 845¹ & 849.
- variegatus** Grouv. (1892), A. M. G. East Indies¹
 XXXVIII, 370¹.

32. *Oxycnemus* Er.

Er. (1843), G. Z. IV, 351—Lacord. [1854
 (1855)], G. C. 319 & 324—Reitt. (1873),

S. E. N. 98 & 113—Sharp (1891),
B. C. A. 362.

Eugoniopus Reitt. (1884), N. J. 264 & 267—
(1885), l. c. 76—Sharp (1891), B. C. A.
364.

Psilopyga Lec. (1853), Proc. Acad. Philad.
VI, 286—Lacord. [1854 (1855)], G. C.
301 & 315.

reitteri Grouv. (*Eugoniopus*) (1892), Burma¹
A. M. G. XXXII, 852.¹

33. *Tricanus* Er.

Er. (1843), G. Z. IV, 352—Lacord. [1854
(1855)], G. C. 319 & 325—Reitt.
(1873), S. E. N. 98 & 138—Grouv.
(1908), C. R. I. 341 & 392.

nigripennis Reitt. (1873), S. E. N. 139¹—Ceylon¹
Grouv. (1892), A. M. G. XXXII, 854—
(1908), C. R. I. 392¹.

punctatissimus Grouv. (1892), A. M. G. Pegu¹
XXXII, 853¹—(1908), C. R. I. 392². Burma¹
Andamans²

striatopunctatus Grouv. (1892), A. M. G. Pegu¹
XXXII, 853¹ & 854. Burma¹

34. *Pallodes* Er.

Er. (1843), IV, 348—Lacord. [1854 (1855)],
G. C. 319 & 323—Reitt. (1873), S. E. N.
98 & 132—Sharp (1891), B. C. A. 364.

Neopallobes Reitt. (1884), N. J. 264 & 269—
(1885), 78—Grouv. (1908), C. R. I.
341.

birmanicus Grouv. (1892), A. M. G. XXXII, Burma¹
851¹.

cardoni Grouv. (1894), A. S. E. B. XXXVIII, Bengal¹
585—(*Neopallobes*) (1908), C. R. I.
392¹.

- dentatus** Grouv. (*Neopallobodes*) (1892), Burma¹
A. M. G. XXXII, 849¹.
- falsus** Grouv. [1912 (1913)], A. S. E. F. Darjiling¹
LXXX, [1912 (1913)], 398¹.
- harmandi** Grouv. (non. Grouv. 1902),
(1903), A. S. E. F. LXXII, 117.—
(1908), C. R. I. 392.
- feai** (*feæ* emend.) Grouv. (1892), A. M. G. Burma¹
XXXII, 851¹.
- vicinus** Grouv. (*Neopallobodes*), (1892), A.M.G. Burma¹
XXXII, 850¹.

35. *Lasiodactylus* Perty.

- Perty (1830-1834), D. A. A. 34—Lacord.
[1854 (1855)], 301 & 317—Grouv.
(1908), C. R. I. 341 & 361-365 [key
to species].
- BIOLOGY : Ghosh (1921), R. P. E. M. 108
(*Lordites*).
- Lordites* Er. (1843), G. Z. IV, 316—Lacord.
[1854 (1855)], 301 & 316—Murr.
(1867), A. M. N. H. (3) XIX, 175, sep.
Col. Old. Cal. (1878), 93.

aethinodes Reitt. (1873), S. E. N. 91 ¹ —	India ¹
Grouv. (1908), C. R. I. 364.	
chevrolati Reitt. (1873), S. E. N. 90 ¹ —	South Africa ¹
Grouv. (1908), C. R. I. 364 ² —De Peyerimhoff (1916), R. I. M. XII, 3, 109-113 ³ , 3 figs. [descr. larva & biol.].	
monticola Grouv. (1910), N. L. M. XXXII, 250 ¹ .	Coromandel ³
pictus M'Leay (<i>Nitidula</i>) (1825), A. J. 40—	Yunnan ¹
Lequien (1833), A. J. 147—Arrow (1909), A. M. N. H. 8 (IV), 191.	Malay Archipelago
costulatus Fairm. (<i>Lordites</i>) (1868), A. S. E. F. 4 (VIII), 775—Reitt. (1873), 88 —Grouv. (1908), C. R. I. 365.	East Indies
glabribcola Candèze (<i>Lordites</i>) (1861), Mém. Liége XVI, 340—Reitt. (1873), S.E.N.	Bourbon Isd.
	Madagascar
	Ceylon
	Bengal

88—(1884), N. J. 266—Grouv. (1908), C. R. I. 361 & 365.	Nilgiris Andamans Pegu
<i>testudinarius</i> Reitt. (1873), S. E. N. 87— Grouv. (1895), B. S. E. F. CCLVII— (1908), C. R. I. 365.	Madagascar
pubescens Grouv. (1908), C. R. I. 362 ¹ & 364 (<i>Lordites</i>).	Murree Hills ¹
quadrinotatus Grouv. (<i>Lordites</i>) (1908), A. S. E. F. LXVIII, 143 ¹ .	East Indies ¹
reitteri Grouv. (1908), C. R. I. 363 & 364 ¹ .	Bengal ¹ Ceylon ¹

36. **Circope** Reitt.

Reitt. (1873), S. E. N. 56 & 79—Grouv.
(1908), C. R. I. 340 & 365 [key to
species].

indicus Motsch. (<i>Pocadius</i>) (1858), E. E. VII, 43—Reitt. (1873), S. E. N. 79— Grouv. (1908), C. R. I. 365 ¹ .	Kurseong ¹ Nilgiris ¹
marginatus Grouv. (1894), A. S. E. B. XXXVIII, 584 ¹ —Grouv. (1908), C. R. I. 365.	Kurseong ¹
subquadratus Motsch. (<i>Pocadius</i>) (1858); E. E. VII, 43—Reitt. (1873), S. E. N. 79—Grouv. (1908), C. R. I. 365 ¹ .	Ceylon ¹ Nilgiris ¹

37. **Xenostyngylus** Woll.

Woll. (1854), I. M. 127—Ganglb. (1899),
K. M. 464 & 536—Grouv. (1908),
C. R. I. 341 & 378.
Subg. *Strongylolasius* Reitt. (1911),
F. G. K. 26 [note].
Subg. *Oxystrongylus* Reitt. l. c. [note].

dorsalis Grouv. (1908), C. R. I. 378¹. North Kanara¹

38. **Cametis** Motsch.

Motsch. (1863), B. M. XXXVI, I, 2, 440—
Grouv. (1908), C. R. I. 384.

picea Motsch. l. c. 441¹—Grouv. l. c. 384¹. Ceylon¹

V. CRYPTARCHINÆ.

- Ipinae* Er. (1843), G. Z. IV, 355 (—*Rhizophagus*).
Ipides Lacord. [1854 (1855)], G. C. 291 & 326.
Ipites Jacq. du Val (1858), Gen. Col. d'Eur, 153 & 157.
Ipina Thoms. (1859), S. C. I, 66 & 69 (—*Cylodes*, + *Cryptarchina*).
Ipideas Philippi. (1864), An. Univ. Chile, 454.
Ipini Lec. (1861), C. N. A. 82 & 84.
Ipidae Reitt. (1873), S. E. N. 7 & 139 (—*Ipsomorpha*).
Ipsi Mars. (1885) N. R. 20.
Ipsinæ Sharp (1891), B. C. A. 873.
Pityophagini Fauc. (1894), Gen. Col. 27.
Ipiens Lameere (1900), Fn. Belg. II, 342 & 354.
Cryptarchini Reitt. (1884), N. J. 257 & 269—
 Ganglb. (1899), K. M. 447 & 548 [key to genera]—Grouv. (1908), C. R. I. 326 & 395—Reitt. (1911), F. G. K. 11 & 36 [key to genera].

39. **Cryptarcha** Shuck.

- Shuck (1839), E. B. E. 165—Lacord. [1854 (1855)], G. C. 326—Ganglb. (1899), K. M. 549—Grouv. (1908), C. R. I. 395-397 [key to species]—Reitt. (1911) F. G. K. 37.
Cryptarchus Heer (1841), F. H. I. 409.
 Subg. *Arhina* Murr. (1867), A. M. N. H. (3) XIX, 178—Col. Old. Cal. (1868), 96.

Subg. *Cryptarchula* Ganglb. (1899), K. M.
550.

- andrewesi** Grouv. (1908), C. R. I. 396¹ &
397. Nilgiris¹
- bicolor** Grouv. (1892), A. M. G. XXXII,
854 & 856¹. Burma¹
- dubia** Grouv. (1890), A. M. G. XXIX, 126—
(1892), l. c. XXXII, 856¹. Burma¹
- feai** (*feae* emend.) Grouv. (1892), A. M. G. Bengal¹
XXXII, 855 & 856¹—Grouv. (1908), Pegu¹
C. R. I. 397¹.
- flavipennis** Reitt. (1873), S. E. N. 120¹, East Indies¹
sep. 24—Grouv. (1908), C. R. I. 397². Sikkim²
- flavoguttata** Reitt. (1875), V. N. V. B. East Indies¹
XIII, 120¹, sep. 24.
- fraterna** Grouv. (1908), C. R. I. 395¹ & Mahé¹
397.
- lesnei** Grouv. (1903), A. S. E. F. LXXII, Darjiling¹
118¹—(1908), C. R. I. 397.
- nigropunctata** Grouv. (1892), A. M. G. Burma¹
XXXII, 854¹ & 856.
- octopunctata** Grouv. (1897), A. M. G. Burma¹
XXXVIII, 371¹.
- ocularis** Reitt. (1875), V. N. V. B. XIII, East Indies¹
121, sep. 25—Grouv. (1892), A. M. G.
XXXII, 855¹ & 856.
- rajah** Motsch. (1863), B. M. XXXVI, II, Ceylon¹
443¹—Grouv. (1908), C. R. I. 397
[note].
- ritsemai** Olliff (1884), N. L. M. VI, 246¹. East Indies¹
- rufomaculata** Grouv. (1897), A. M. G.
XXXVIII, 373¹. Tenasserim¹

40. *Glischrochilus* Reitt.

Reitt. (subg. *Ips*) (1873), S. E. N. 162—
Ganglb. (1899), K. M. 549 & 551.

BIOLOGY: Munro, 1917, Proc. R. Physical
Soc., Edinburgh, XX, 3, 123-158, 5
pl. 28 figs.—Ritchie (1917), Trans.

R. Soc. Edinburgh, LII, part 1, No. 10,
213-234, plates—Blackman (1919),
Psyche, XXVI, 4, 85-96, 1 plate, 1 fig.
—Verhoeff (1923), A. N. 12, 80-88, pl.
I, figs. 4-6, 13 & 14, pl. II, figs. 22-24;
pl. VII, fig. 92.

Ips F. (1776), Gen. Ins. 23—Lacord. [1854
(1855)], G. C. 226 & 327 (pars).

Librodor Reitt. (1884), N. J. 269 & 270.

Subg. *Cryptarchips* Reitt. (1911), F. G. K.
37.

Subg. *Librodor* Ganglb. (1899), K. M. 553—
Reitt. (1911), F. G. K. 37 & 38.

egregius Grouv. (*Librodor*) (1892), A. M. G.. Burma¹
XXXII, 856¹.

japonicus Motsch. (*Ips*) (1857), E. E. VI, 28—Burma¹
Grouv. (1892), A. M. G. XXXII,
856¹ (*Librodor*).

chinensis Reitt. (*Ips*) (1873), S. E. N.
160—(1879), Verh. Zool-bot. Ges.
Wien. XXIX, 508.

davidis (*Ips*) Fairm. (1878), A. S. E. F. (5)—
VIII, 93—Reitt. l. c. 508. Japan

nankineus Fairm. l. c. 93—Reitt. l. c. China
508.

VI. CYBOCEPHALINÆ.

Cybocephalites Jac. du Val. (1858), Gen. Col.
d'Eur. II, 151 & 157.

Cybocephalini Horn (1879), Nitid. U. State,
268 & 319—Ganglb. (1899), K. M.
447 & 545—Grouv. (1908), C. R. I.
326 & 392.

Cybocephalinæ Sharp (1891), B. C. A. 372—
Reitter (1911), F. G. K. 10.

41. *Cybocephalus* Er.

Er. (1844), G. Z. V. 441—Lacord. [1854
(1855)], G. C. 319 & 322—Gangb.
(1899), K. M. 546—Grouv. (1908),
C. R. I. 392-395 [key to species].

BIOLOGY: Rutherford (1914), Trop. Agric. XLIII, 4, 319-323—Malenotti (1917), Redia, XIII, 1, 17-53, 2 pl.—Herbert (1920), U. S. Dept. Agric. Bull. 838, 22, 6 pl. 5 figs.

Acribis Waterh. (1877), Proc. Zool. Soc. Lond. 78—Champ. (1913), T. E. S. L. 71.

Phantazomerus Jac. du Val. (1854), B. S. E. F. 307.

Stagnomorpha Woll. (1854), I. M. 482.

æneonitens Champ. (1923), E. M. M. West Almora¹ LIX, 77-78¹.

binotatus Grouv. (1908), C. R. I. 394¹ & 395—Champ. (1923), E. M. M. LIX, 78² [addl. descr.].

chlorocephalus Er. (1844), G. Z. V. 442—Motsch. (1863), B. M. XXXVI, II, 479—Reitt. (1874), V. N. V. B. XII, 6—Grouv. (1908), C. R. I. 395¹—Champ. (1923), E. M. M. LIX, 77²—[addl. descr.].

India¹
Ceylon¹
Nilgiris¹
Haldwani²
West Almora²

Singapore²
India¹
Ceylon¹

flavipes Motsch. (1863), B. M. XXXVI, II, 478¹—Reitt. (1874), V. N. V. B. XII, 7—Grouv. (1908), C. R. I. 392¹ & 395.

Ceylon¹
Bombay¹

major Motsch. (1863), B. M. XXXVI, II, 478¹—Reitt. (1874), V. N. V. B. XII, 12—Grouv. (1908), C. R. I. 395¹.

Ceylon¹

nigripennis Motsch. (1863), B. M. XXXVI, II, 479¹—Reitt. (1874), V. N. V. B. 12.

Ceylon¹

puncticeps Grouv. (1908), C. R. I. 393¹ & 395.

Kanara¹
Nilgiris¹

smaragdicollis Motsch. (1866), B. M. XXXIX, I, 398—Reitt. (1874), V. N. V. B. XII, 6—Grouv. (1908), A. S. E. F. LXXVII, 395.

Ceylon.

splendens Grouv. (1908), A. S. E. F. LXXVII, 392¹ & 394.

Nilgiris¹

- subquadratus** Motsch. (1863), B. M. XXXVI,
II, 479¹—Reitt. (1874) V. N. V. B. Ceylon¹
XII, 7¹. India¹
- subrotundatus** Motsch. l. c.—479¹. India¹

Total 228 species.

ADDENDA.

Pseudomystrops Grouv.

- Grouv. [1912 (1913)], A. S. E. F. LXXXI, 389
Concolor Grouv. [1912 (1913),] A. S. E. F. 390¹ Tenasserim¹
humeralis Grouv. (1890), A. M. G.
XXIX, 124¹ [1912 (1913)], Burma¹
A. S. E. F. 389

230 species.

INDEX TO GENERA.

(NOTE.—The numbers refer to the numbers of the genera and not of the pages.)

Acanthogethes (Meligethes)
Acribis (Cybocephalus)
Aethina, 26
Aethinopa (Aethina)
Aethinopsis, 27
Amartus (Heterhelus)
Amphicrossus, 25
Amystrops, 13
Arhina (Cryptaracha)
Atarphia, 23
Axyra, 20
Axyrodes (Axyra)

Brachypeplus, 4

Cametis, 38
Carpophilus, 7
Cateretes (Heterhelus)
Cercus (Heterhelus)
Cillaeus, 5
Circopes, 36
Cormyphora (Pria)
Cryptaracha, 39
Cryptarchips (Glischrochilus)
Cryptarchula (Cryptaracha)
Cryptarchus (Cryptaracha)
Cybocephalus, 41
Cyllodes, 31

Dadopora (Epuraea)

Economaeus, 9
Economorphus (Carpophilus)
Eidocolastus (Carpophilus)
Endomerus (Carpophilus)
Epuraea, 15
Epuraecanella (Epuraea)
Eugoniopus (Oxycnemus)

Galaor (Axyra)
Glischrochilus, 40

Haptoncura (Haptencus)
Haptoncus, 11
Heterhelus, 1
Heterodontus (Carpophilus)

Idaethina (Macroaura)
Idocolastus (Carpophilus)
Ipidea, 17
Ips (Glischrochilus)
Ischaena (Megauchenia)

Laria (Pria)
Lasiodactylus, 35
Leiopeplus (Brachypeplus)
Litrodor (Glischrochilus)
Liparopeplus (Brachypeplus)
Lobostoma (Amphicrossus)
Lordites (Lasiodactylus)

Macroura, 28	
Megauchenia, 21	
Meligethes, 3	
<i>Microxanthus</i> (Carpophilus)	
<i>Micrvuria</i> (Epuraea)	
<i>Micrvurula</i> (Epuraea)	
<i>Myothorax</i> (Carpophilus)	
<i>Neopallobodes</i> (Pallodes)	
<i>Nitidulopsis</i> (Brachypeplus)	
<i>Nitops</i> (Carpophilus)	
<i>Odontogethes</i> (Meligethes)	
<i>Omosiphora</i> (Epuraea)	
Omosita, 14.	
<i>Onicotis</i> (Brachypeplus)	
<i>Orthogramma</i> (Platynema)	
Oxycnemus, 32	
<i>Oxystrongylus</i> (Xenostyngylus)	
Pallodes, 34	
Parametopia 19	
<i>Phantazomerus</i> (Cybocephalus)	
Physoronia, 24	
Platynema, 6	
Pocadites, 30	
Pocadius, 29	
Pria, 2	
Prometopia, 18	
Propetes, 12	
<i>Pseudocamptodes</i> (Cyllodes)	
<i>Pseudoplatyhora</i> (Atarphia)	
<i>Psilopyga</i> (Oxycnemus)	
	<i>Rhacostoma</i> (Amphicrossus)
	<i>Selis</i> (Brachypeplus)
	Soronia, 22
	<i>Stagnomorpha</i> (Cybocephalus)
	<i>Stauroglossicus</i> (Carpophilus)
	Stelidota, 16
	<i>Strongylolasius</i> (Xenostyngylus)
	<i>Strongylus</i> (Cyllodes)
	<i>Tasmus</i> (Brachypeplus)
	Tetrisus, 8
	<i>Tribrachys</i> (Carpophilus)
	Tricanus, 33
	Trimenus, 10
	<i>Urophorus</i> (Carpophilus)
	<i>Volvoxis</i> (Cyllodes)
	Xenostyngylus, 37

INDEX TO SPECIES.

(NOTE.—Names *in italics* are treated as synonyms and should be looked up under the names given in roman letters. The generic name noted against each specific name is that of the genus in which it is placed in this Catalogue. The species in each genus are placed in alphabetical order and the position of the genus is shown in the Index to Genera.)

adpressus, Trimenus	braeti, Soronia
aeneonitens, Cybocephalus	breviceps, Platynema
aenescens, Cyllodes	brevipennis, Carpophilus hemipterus
aequalis, Brachypeplus	brunnea, Epuraea
aethinodes, Lasiodactylus	
<i>affinis</i> , Epuraea persimilis	
andamanensis, Cyllodes	
andrewesi, Cryptarcha	
andrewesii, Epuraea	
andrewesi, Meligethes	
angustata, Meguchenia	
angustatus, Trimenus adpressus	
angustulus, Haptoncus motschulskyi	
angustipes, Cyllodes	
antennata, Aethinopsis	
apicalis, Epuraea	
apicalis, Pria	
arcuata, Epuraea	
argus, Aethina	
arrowi, Meligethes	
<i>auropilosus</i> , Carpophilus dimidiatus	
bicolor, Carpophilus	
bicolor, Cryptarcha	
<i>bifasciatus</i> , Haptoncus ocularis	
bifascies, Cyllodes	
bifenestratus, Carpophilus	
biguttatus, Carpophilus	
<i>biguttatus</i> , Carpophilus dimidiatus	
<i>bimaculatus</i> , Carpophilus dimidiatus	
<i>bimaculatus</i> , Carpophilus hemipterus	
binotatus, Cybocephalus	
binotatus Meligethes	
birmanica, Epuraea	
birmanicus, Brachypeplus	
birmanicus, Pallodes	
<i>boschai</i> , Carpophilus plagiaticollis	
braeti, Epuraea	
braeti, Meligethes	
davidis, Glischrochilus japonicus	
<i>decoratus</i> , Haptoncus ocularis	
<i>densatus</i> , Amphicrossus	

densita, *Macroura*
dentatus, *Pallodes*
diluticollias, *Pria*
dilutus, *Carpophilus plagiaticipennis*
dilutus, *Carpophilus dimidiatus*
dimidiatus, *Carpophilus*
dimidiatus, *Carpophilus hemipterus*
discolor, *Amphierossus*
dorsalis, *Xenostrongylus*
dubia, *Cryptarcha*
dubia, *Macroura nigritula*
dubitabilis, *Carpophilus*
dubitabilis, *Cyllodes*
dubitabilis, *Epuraea*
dubitabilis, *Pocadites*
dubius, *Cyllodes dubitabilis*
dubreuilli, *Brachypeplus*

fulvipes, *Carpophilus*
fulvipes, *Carpophilus hebeatus*
fumatus, *Carpophilus dimidiatus*
funereus, *Carpophilus*
funereus, *Carpophilus obsoletus*
fusculus, *Carpophilus fulvipes*

glabricola, *Lasiodactylus pictus*
gracilis, *Prometopia*

egregius, *Glischrochilus*
elongata, *Axyra*
emarginata, *Epuraea*
epuraeoides, *Haptoncus*
epuraeoides, *Tetrisus*
erythrogonus, *Carpophilus*
exculta, *Epuraea*

harmandi, *Pocadius*
harmandi, *Pallodes falsus*
haroldi, *Ecnomaeus*
hebetatus, *Carpophilus*
hemipterus, *Carpophilus*
hemipterus, *Carpophilus dimidiatus*
heros, *Carpophilus*
humeralis, *Carpophilus*
humeralis, *Cyllodes*
hydroporoides, *Tetrisus*

falsus, *Pallodes*
familiaris, *Carpophilus*
feai, *Axyra*
feai, *Brachypeplus*
feai, *Carpophilus*
feai, *Cryptarcha*
feai, *Megauchenia*
feai, *Pallodes*
ferrugineus, *Meligethes*
ficus, *Carpophilus hemipterus*
flavipennis, *Cryptarcha*
flavipes, *Carpophilus*
flavipes, *Cybocephalus*
flavoguttata, *Cryptarcha*
flexuosus, *Carpophilus hemipterus*
floreolus, *Haptoncus luteolus*
foedus, *Meligethes*
fossicollis, *Epuraea*
foveicollis, *Carpophilus humeralis*
fraterna, *Cryptarcha*

imperialis, *Soronia*
indica, *Epuraea*
indica, *Megauchenia*
indica, *Parametopia*
indica, *Pria*
indicus, *Circopes*
indicus, *Cyllodes*
insolita, *Epuraea*
insularis, *Cyllodes*
insularis, *Pocadites*
intendens, *Haptoncus luteolus*
interstitialis, *Megauchenia*

japonicus, *Glischrochilus*

<i>kraatzi</i> , Heterhelus	<i>nigritus</i> , Carpophilus dimidiatus <i>nigrocastanea</i> , Aethina <i>nigropunctata</i> , Cryptarcha <i>nigropunctatus</i> , Cylloides <i>nigrovaria</i> , Stelidota <i>notatus</i> , Brachypeplus <i>notatus</i> , Cylloides bifascies
<i>latipes</i> , Pria <i>latissima</i> , Epuraea <i>latus</i> , Brachypeplus <i>latus</i> , Cillaeus <i>lepidus</i> , Carpophilus <i>lesnei</i> , Cryptarcha <i>lewisi</i> , Carpophilus dimidiatus <i>ligatus</i> , Carpophilus <i>limbalis</i> , Carpophilus dimidiatus <i>limbatis</i> , Cylloides <i>longipennis</i> , Macroura <i>lowei</i> , Brachypeplus <i>luminosus</i> , Meligethes <i>turidus</i> , Carpophilus dimidiatus <i>luteolus</i> , Haptoncus <i>luteolus</i> , Meligethes	<i>obesus</i> , Brachypeplus <i>obesus</i> , Carpophilus <i>oblongopunctatus</i> , Carpophilus <i>oblongus</i> , Amphicrossus <i>obscura</i> , Aethina <i>obsoletus</i> , Carpophilus <i>ochropterus</i> , Carpophilus dimidiatus <i>octopunctata</i> , Cryptarcha <i>ocularis</i> , Cryptarcha <i>ocularis</i> , Haptoncus <i>olliffi</i> , Platynema <i>omissa</i> , Epuraea <i>opacus</i> , Amphicrossus <i>opponens</i> , Cylloides bifascies <i>orientalis</i> , Macroura <i>ornata</i> , Omosita <i>ornata</i> , Epuraea exculta <i>ornatus</i> , Carpophilus signatus <i>ornatus</i> , Cylloides bifascies
<i>major</i> , Cybocephalus <i>marginatus</i> , Circopes <i>marginatus</i> , Cylloides <i>marginellus</i> , Carpophilus <i>meliethoides</i> , Macroura <i>melleus</i> , Meligethes <i>minima</i> , Soronia <i>mirmidon</i> , Pria <i>mixtus</i> , Meligethes <i>montana</i> , Amystrops <i>montanus</i> , Cylloides indicus <i>monticola</i> , Lasiodactylus <i>motschulskyi</i> , Haptoncus <i>multiguttata</i> , Stelidota <i>multiguttata</i> , Stelidota nigrovaria <i>murrayi</i> , Carpophilus <i>muticus</i> , Amphicrossus <i>multilatus</i> , Carpophilus dimidiatus	<i>pallida</i> , Pria <i>parallelipedus</i> , Trimenus <i>patruelis</i> , Brachypeplus <i>pauperculus</i> , Haptoncus luteolus <i>peninsularis</i> , Megauchenia angustata <i>perplexa</i> , Axyra <i>persimilis</i> , Epuraea <i>picea</i> , Cametis <i>picinus</i> , Carpophilus humeralis <i>pictus</i> , Lasiodactylus <i>pictus</i> , Carpophilus hemipterus <i>pilosellus</i> , Carpophilus <i>pilosus</i> , Amphicrossus <i>plagiata</i> , Pria <i>plagiatiennis</i> , Carpophilus <i>plagiatus</i> , Amphicrossus <i>? politus</i> , Meligethes <i>propinqua</i> , Epuraea <i>puberulus</i> , Carpophilus dimidiatus <i>pubescens</i> , Carpophilus
<i>nankineus</i> , Glischroichilus japonicus <i>nigripennis</i> , Cybocephalus <i>nigripennis</i> , Propetes <i>nigripennis</i> , Tricanus <i>nigritula</i> , Macroura <i>nigritula</i> , Macroura orientalis	

pubescens, *Lasiodactylus*
pubescens, *Haptoncus luteolus*
pumila, *Epuraea*
punctatissimus, *Tricanus*
punctatus, *Carpophilus humeralis*
puncticeps, *Cybocephalus*
puncticollis, *Aethina*
pusillus, *Haptoncus*
pusillus, *Carpophilus dimidiatus*

strigipennis, *Carpophilus obsoletus*
submaculata, *Epuraea*
subochracea, *Epuraea*
subquadratus, *Circopes*
subquadratus, *Cybocephalus*
subquadratus, *Haptoncus luteolus*
subrotundatus, *Cybocephalus*
subrugosa, *Macroura*
subtilis, *Epuraea*

quadratus, *Carpophilus hemipterus*
quadriguttatus, *Carpophilus hemipterus*
quadrimaculata, *Prometopia*
quadrimaculatus, *Cyllodes*
quadrinotatus, *Cyllodes*
quadrinotatus, *Lasiodactylus*
quadrisignatus, *Carpophilus hemipterus*

tectus, *Carpophilus*
tempestivus, *Carpophilus dimidiatus*
testaceus, *Haptoncus*
testaceus, *Pocadius*
testaceus, *Carpophilus dimidiatus*
testudinaris, *Lasiodactylus pictus*
tetragonus, *Haptoncus oocularis*
texanus, *Haptoncus luteolus*
thiemei, *Haptoncus oocularis*
trinotata, *Parametopia tripunctata*
tripunctata, *Parametopia*

rajah, *Cryptarcha*
reflexicollis, *Haptoncus*
reitteri, *Lasiodactylus*
reitteri, *Oxycnemus*
reitteri, *Physoronia*
respondens, *Macroura orientalis*
reticulata, *Epuraea*
ritsemai, *Cryptarcha*
robustus, *Carpophilus dimidiatus*
rubicollis, *Meligethes*
rufithorax, *Meligethes*
rufomaculata, *Cryptarcha*

undulatus, *Carpophilus*
undulatus, *Cyllodes*

variegatus, *Cyllodes*
vicina, *Aethina*
vicinus, *Pallodes*
vittiger, *Carpophilus dimidiatus*
vulpecula, *Haptoncus testaceus*

sericeus, *Carpophilus*
setosula, *Pometopia*
sexpunctatus, *Cyllodes*
sibirica, *Ipidia*
signatus, *Carpophilus*
significans, *Haptoncus oocularis*
simoni, *Cillaeus*
smaragdicollis, *Cybocephalus*
splendens, *Cybocephalus*
striatopunctatus, *Tricanus*

waterhousei, *Economaeus*
waterhousei, *Epuraea*
waterhousei, *Meligethes*

yunnanensis, *Pocadius*



